




LED Square Disk Light  
SDL Series

# High Performance Design Can Customize To Your Environment



## SDL Wattage Comparison



Conventional Fluorescent    Conventional Incandescent

Hospitals, retail stores, malls

Model: RDL-12-22-120D-930

22W  
1,400 Lumens

46W-52W    150W

Utility rooms, office areas

Model: RDL-7-15-120D-930

15W  
1,016 Lumens


26W-32W    100W

Storage rooms, hallways

Model: RDL-5-10-120D-930


10W  
550 Lumens

18W-23W    75W



# Ordering Information

## Dimensions



## Specification Features



### Construction

Injection molded trim with diffusion lens for visual comfort while providing optimal light output. Edge Lit technology and Lens design and materials provide uniform appearance without pixelation.

### Qualifications

All luminaires are built to UL 1598 and 2108 standards, and bear appropriate ETL labels. Wet location labeling is standard. Emergency equipped fixtures labeled UL924. Adheres to LM70, LM80, and TM21 industry standards. ENERGY STAR® certified product (for 3000K and 4000K only) and Title 24 qualified. Dedicated 120V Models are FCC Title 47 CFR, Part 15, Class B for residential and commercial applications. California Title 24 Compliant, JAB compliant, CEC Listed.

### Electrical

Equipped standard with 120V 10-100% dimming driver.

### Installation

Designed for mounting on 3" and 4" electrical J-Box.

### Warranty

3-year Limited Warranty. See warranty documentation for more information.

### SDL Series

#### 5" Housing

10W (550 Lumens)

#### 7" Housing

15W (1016 Lumens)

#### 12" Housing

22W (1400 Lumens)

Rated Life 50,000 hours

Limited Warranty 3 years

Efficacy Up to 64 LPW

Continuous Dimming



### Quick Ship

SDL-5-10-120D-930-WH  
SDL-7-15-120D-930-WH  
SDL-12-22-120D-930-WH

## Ordering Information

Example: SDL-7-15-120D-930-WH

SDL	7	15	120D	9	30	WH
<b>Series</b> SDL LED Square Disk Light	<b>Diameter</b> 5-5" 7-7" 12-12"	<b>Rated Wattage</b> <u>5" Housing</u> 10- 10W (550 Lumens) <sup>1 2</sup> <u>7" Housing</u> 15-15W (1016 Lumens) <sup>2</sup> <u>12" Housing</u> 22-22W (1400 Lumens) <sup>2</sup>	<b>Driver Type</b> 120D- 120V Dimming, Dims to 10% 277- 277V <sup>1</sup>	<b>CRI</b> 9 90+ CRI	<b>Color Temp</b> 30 3000 K <sup>1</sup> 40 4000 K <sup>1 2</sup>	<b>Finish</b> NS- Nickel Satin ORB-Oil Rubbed Bronze WH- White BL- Black
			<b>Emergency Backup</b> EM-SDL-7 7" Emergency Battery EM-SDL-12 12" Emergency Battery	<b>Accessories</b> Trim- SDL-5-NS 5" Nickel Satin Trim Trim- SDL-5-BL 5" Nickel Satin Trim Trim- SDL-7-NS 7" Nickel Satin Trim Trim- SDL-7-BL 7" Nickel Satin Trim Trim-SDL-12-NS 12" Nickel Satin Trim Trim-SDL-12-BL 12" Black Trim		

Specifications and Dimensions subject to change without notice.

<sup>1</sup> Made to order items. Minimum 90 day lead time. Minimum 500 order quantity.


<sup>2</sup> Energy star listed

# Adders Options & Accessories



## Emergency Battery

The emergency battery back-up provides 90 minutes of power to your fixture in the event of an emergency.



## Trims

SDL Comes in four elegant colors: Nickel Satin, White, Black, Oil Rubbed Bronze

### Emergency Battery Back-up

EM-SDL-5	5" Emergency Battery
EM-SDL-7	7" Emergency Battery
EM-SDL-12	12" Emergency Battery

### Trims

Trim-SDL-5-NS	5" Nickel Satin Trim
Trim-SDL-5-BL	5" Black Trim
Trim-SDL-7-NS	7" Nickel Satin Trim
Trim-SDL-7-BL	7" Black Trim
Trim-SDL-12-NS	12" Nickel Satin Trim
Trim-SDL-12-BL	12" Black Trim